

Supplementary Information

Bats in the dry and wet Pantanal

Fischer E., Silveira M., Munin R.L., Camargo G., Santos C.F., Ramos Pereira M.J., Fischer W., Eriksson A.

Table S1 Number of faecal samples from phyllostomid species containing endozoochoric seed species in the southern Pantanal and neighbouring plateaus.

Species	<i>Carollia perspicillata</i>	<i>Artibeus planirostris</i>	<i>Sturnira lilium</i>	<i>Platyrrhinus lineatus</i>	<i>Glossophaga soricina</i>	<i>Platyrrhinus helleri</i>	<i>Artibeus lituratus</i>	<i>Anoura caudifer</i>	<i>Chrotopterus auritus</i>	<i>Lophostoma silvicolum</i>	<i>Phyllostomus discolor</i>	Interacting species
<i>Cecropia pachystachya</i>	6	52	1	35	5	1	2	0	0	0	1	8
<i>Ficus obtusifolia</i>	0	67	1	7	3	3	1	1	0	0	0	7
<i>Ficus crocata</i> ^a	1	62	0	3	2	0	6	0	0	3	0	6
<i>Piper aduncum</i>	53	1	10	0	4	0	0	2	1	0	0	6
<i>Ficus citrifolia</i>	3	29	1	3	0	0	0	0	0	0	0	4
<i>Maclura tinctoria</i>	0	3	2	1	0	1	0	0	0	0	0	4
<i>Banara arguta</i>	6	4	0	1	0	0	0	0	0	0	0	3
<i>Ficus</i> sp.	1	1	0	0	0	1	0	0	0	0	0	3
<i>Piper hispidum</i>	6	0	1	0	1	0	0	0	0	0	0	3
<i>Piper macedoi</i>	10	1	1	0	0	0	0	0	0	0	0	3
<i>Piper</i> sp.2	6	1	0	0	1	0	0	0	0	0	0	3
<i>Ficus carautana</i> ^b	1	5	0	0	0	0	0	0	0	0	0	2
<i>Ficus pertusa</i>	0	9	0	1	0	0	0	0	0	0	0	2
<i>Piper angustifolium</i>	10	0	1	0	0	0	0	0	0	0	0	2
<i>Piper tuberculatum</i>	27	0	0	0	1	0	0	0	0	0	0	2
<i>Piper</i> sp.1	2	0	2	0	0	0	0	0	0	0	0	2
<i>Solanum paniculatum</i>	3	0	2	0	0	0	0	0	0	0	0	2
<i>Solanum</i> sp.	1	0	0	1	0	0	0	0	0	0	0	2
<i>Ficus calyptroceras</i>	0	1	0	0	0	0	0	0	0	0	0	1
<i>Ficus adhatodifolia</i> ^c	0	5	0	0	0	0	0	0	0	0	0	1
<i>Solanum pseudoquina</i>	1	0	0	0	0	0	0	0	0	0	0	1
<i>Vismia</i> sp.	2	0	0	0	0	0	0	0	0	0	0	1
Interacting species	17	4	0	8	7	4	3	2	1	1	1	

^aTreated as *F. gomelleira* in Teixeira et al. (2009).

^bTreated as *F. luschnathiana* in Teixeira et al. (2009), and Camargo (2014).

^cTreated as *F. insipida* in Munin (2012), Munin et al. (2012), and Camargo (2014).